

Subclinical Equine Right Dorsal Colitis

Diagnosis and Treatment Study

Trainer: _____

Horse Name: _____ Age: _____ Sex: _____

History

- ☐ May swish or pop tail when brushing right flank area.
- ☐ When tightening the girth, side steps or looks around you.
- ☐ When tightening the girth, swishes or pops tail.
- ☐ Lead change reluctant or has to be forced into right lead.
- ☐ Does not like to stay in right lead.
- ☐ Resistent to leg.
- ☐ Jump refusal intermittent.
- ☐ Colic
- ☐ Attitude change. If yes, please describe.

NSAID

- | | | |
|---|--------------------------------|------------------------------------|
| ☐ Banamine | ☐ Daily | ☐ Show Only |
| ☐ Phenylbutazone | ☐ Daily | ☐ Show Only |
| ☐ Equioxx | ☐ Daily | ☐ Show Only |
| ☐ Aspirin | ☐ Daily | ☐ Show Only |
| ☐ Arquel | ☐ Daily | ☐ Show Only |

EPM Treatment

- | | | |
|--|-------------------|-------|
| ☐ Marquis | Days of Treatment | _____ |
| ☐ Protazil | Days of Treatment | _____ |
| ☐ ReBalance | Days of Treatment | _____ |
| ☐ Decoquinat/Levamisole | Days of Treatment | _____ |
| ☐ Other _____ | Days of Treatment | _____ |

Fecal Water

- | | | |
|---|--------------------------------|------------------------------------|
| ☐ Tail/Down Legs | ☐ Daily | ☐ Show Only |
| ☐ Stall Wall | ☐ Daily | ☐ Show Only |

Treatment _____

(continued on next page)

Lyme Disease

☐ Tetracycline	Days of Treatment	_____
☐ Doxycycline	Days of Treatment	_____
☐ Minocycline	Days of Treatment	_____
☐ Other _____	Days of Treatment	_____

Gastric Ulcers

☐ Confirmed by Gastroscopy	Grade	_____
☐ Gastrogard	☐ Show Only	
☐ Ulcergard	☐ Show Only	
☒ Compound Omeprazole	☐ Show Only	
☒ Other _____	☐ Show Only	

Feces

Treatment _____

☐ Soft? ☐ Daily ☐ Show Only

Feed

Type _____

Name _____

Hay

Type _____

Supplements Please List

Contact Information

Phone _____

Email _____